




舞台系列

STAGE SERIES



拼装舞台
Assembling Stage



快装舞台
Quick-Lock
Installation Stage

折叠舞台
Folding Stage




拼装舞台

Assembling Stage



装配图

Assembly Diagram



拼装舞台规格

1.22×1.22 米, 1.22×2.44 米, 拼装舞台, 由支架, 立柱, 可调节底座, 舞台板(防滑板, 覆膜板 18mm) 组合而成。每张舞台和相邻的舞台的立柱和支架是共用的, 所以连接好后是一个整体非常牢固。拆装和安装方便, 其舞台面是由双面覆膜板, 加以铝框固定构成, 其具有较好的防火阻燃、耐磨损、无伤害、装饰性强等特点舞台框采用高硬度铝合金材料, 结构牢固, 外观漂亮。

Assembling Stage Specification

1.22×1.22m, 1.22×2.44m, is combined by support, column, adjustable base and stage board(antiskid plate, thickness 18mm). The support and column of any two neighboring stage are shared, so that can be firmly fixed as a whole set. The stage has the advantages of easy installation and disassembly. Its surface is made up of doublefaced film plywood and aluminum frame. With good characteristics of fire retardant, wear resistance, injury-free and higher decorative, ect. The stage frame used high hardness aluminum alloy which has a firm structure and beautiful appearance.

舞台面板、舞台框架、舞台支架单片、升降套管调节、可调节脚杯。

Layer board, Stage frame, Stage support, Lifting adjustment sleeve, Adjustable foot.

舞台板使用 18mm 厚度	木夹板、竹夹板、防火防水板、钢化玻璃、有机玻璃, 舞台脚和其他配件全为铝合金材质制成。	The Layer board is used 18mm thickness	plywood, bamboo plwood, fireproof and waterproof board, tempered glass, PMMA, stage foot and other accessories which are made of aluminum alloy.
常规尺寸	1.22×1.22m 1.22×2.44m	Regular size	1.22×1.22m/1.22×2.44m
调节高度	0.6m~1.1m, 0.8~1.1m 0.6~0.85m, 0.8~1.3m	Adjustable height	0.6m~1.1m, 0.8~1.1m 0.6~0.85m, 0.8~1.3m
不可调节高度	0.3m/0.4m/0.5m/0.6m/ 0.8m/1.0m/1.2m/1.4m/1.6m	Non adjustable Standard height grade of stage	0.3m/0.4m/0.5m/0.6m/0.8m/ 1.0m/1.2m/1.4m/1.6m



WTC-LEDF

快装舞台
Quick-Lock Installation Stage

规格 Specifications

Normal Dimension 常规尺寸	1220×1220mm 1220×2440mm
The Adjustable Height 舞台脚可调节范围	0.4-0.6m, 0.6-1m, 0.8-1.2m

组成

1220×1220 舞台板, 舞台调节脚, 紧固连接件。
舞台面板采用 18mm 舞台专业黑色防滑板。

Components

1220×1220mm stage board, adjustable stage legs, connectors and accessories.
The stage panel made of 18mm black high quality waterproof board.

快装舞台

是一款采用卡扣快锁连接安装的便捷舞台, 规格为 1220×1220mm, 支撑脚上端可大幅度调节多档高度, 底部微调设计, 可用于地面不平整时微调至合适高度, 通常适用于宴会厅、快闪活动等场合。


Quick-lock Installation Stage

This is quick-lock connecting installation stage, specification of 1220×1220mm, telescoping leg for large extend adjustment of multi heights is available, the feet can fine adjust for flat to the ground, common apply in dinner hall, events, etc.



舞台脚高度可调节

Height of stage legs adjustable



快装舞台脚设计

Quick-lock installation model

WTC-FST

折叠舞台
Folding Stage

规格 Specifications

Stage Frame 舞台框	62×85mm 30×60-3mm
18mm Anti Slip Stage Board 18mm防滑舞台板	
Monolithic 单片	60×4mm 25×3mm 30×60×3mm
Adjuster Foot 调节脚	50×3mm
Folding Arm 折叠臂	0.3m/0.4m/0.5m/0.6m/ 0.8m/1.0m/1.2m/1.4m/1.6m
Regular Size 常用规格	1220×2440mm
Aluminum Alloy 铝合金	EN-AW 6082 T6




折叠舞台

是一款采用卡扣快锁连接安装的便捷舞台, 规格为 1220×2440mm, 支撑脚上端可大幅度调节多档高度, 底部微调设计, 可用于地面不平整时微调至合适高度, 通常适用于宴会厅、快闪活动等场合。

Folding Stage

This is quick-lock connecting installation stage, specification of 1220×2440mm, telescoping leg for large extend adjustment of multi heights is available, the feet can fine adjust for flat to the ground, common apply in dinner hall, events, etc.




WTC-CB-B

防暴栏

Crowd Barriers

| 规格 Specifications

Specifications	L1200×W1000×H1200mm
防暴栏规格	长1200×宽1000×高1200
Barrier Board	1150×1000mm
挡板规格	
Main Materials	50×43×2m Profile Tube 日字管
主要材料	50×25×2mm Square Tube 方管 Φ50×3mm定制半圆管
Panel 面板规格	1.8mm Punched Aluminum Board 冲孔铝板
Bottom Board	1200×1000mm
底板规格	
Main Materials	50×43×2 Profile Tube 日字管
主要材料	40×100mm Bespoke Ramp Profile 定制斜坡型材
Panel 面板规格	3mm Pattern Aluminum Board 花纹铝板
Footboard 踏板规格	680×400mm
Main Material 主要材料	50×25×2mm Square Tube 方管
Panel 面板规格	3mm Pattern Aluminum Board 花纹铝板
Brace 斜撑规格	L=1156mm



| 防暴栏

一款全铝合金制作的可移动防护屏障，可连续连接，用于隔离区域人群，可自由根据区域大小增减连接人数。适用于演唱会、体育赛事等多种大型活动场所，提供稳定的防护屏障，防止人群拥挤。

| Crowd Barriers

This moveble crowd barrier is made of 100% aluminum alloy, can constantly connected one by one so that could separate attendees in different area, can increase and decrease the quantity according to the size of events area conveniently and freely. Apply in concerts, stadium and others huge hall events. It can be your good helper on provide safe and stable events, prevents the attendees from crowd.

